





DISCOS ASA PARA CADENAS - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS ASA FOR ROLLER CHAINS

ASA 40

12,7 x 7,95 mm
Rodillo 7,95 mm
08A - 1



B1	B2	B3	b1	C	r3
7,2				1,6	13,5

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	39,3	33,18						
9	43,2	37,13						
10	47,2	41,10	8	0,06				
11	51,2	45,07						
12	55,2	49,07						
13	59,2	53,06	10	0,10				
14	63,2	57,07						
15	67,2	61,09						
16	71,2	65,10						
17	75,2	69,11	10	0,18				
18	79,2	73,14						
19	83,3	77,16	10	0,23				
20	87,3	81,19	10	0,27				
21	91,3	85,22	12	0,28				
22	95,4	89,24						
23	99,4	93,27						
24	103,4	97,29	12	0,38				
25	107,4	101,33						
26	111,5	105,36						
27	115,5	109,40						
28	119,5	113,42						
29	123,6	117,46						
30	127,6	121,50	16	0,58				
31	131,6	125,54						
32	135,7	129,56	16	0,68				
33	139,7	133,60						
34	143,8	137,64	16	0,78				
35	147,8	141,68	16	0,83				
36	151,8	145,72						
37	155,9	149,76						
38	159,9	153,80	16	0,98				
39	163,9	157,83						
40	168,0	161,87						
41	172,5	165,91						
42	176,6	169,95						
43	180,6	173,99						
44	184,6	178,03	20	1,32				
45	188,7	182,07						
46	192,7	186,10						
47	196,8	190,14						
48	200,8	194,18	20	1,58				
49	204,8	198,22						
50	208,9	202,26	20	1,73				

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
51	212,9	206,30						
52	217,0	210,34						
53	221,0	214,37						
54	225,0	218,43						
55	229,1	222,46						
56	233,1	226,50						
57	237,2	230,54	20	2,25				
58	241,2	234,62						
59	245,2	238,62						
60	249,3	242,66						
62	257,4	250,74						
64	265,4	258,82						
65	269,5	262,86						
66	273,5	266,90						
68	281,6	274,99						
70	289,7	283,07						
72	297,8	291,16						
75	309,9	303,27						
76	313,9	307,33						
78	322,0	315,40						
80	330,1	323,48						
85	350,3	343,69						
90	370,5	363,90						
95	390,7	384,11						
100	410,9	404,31						
110	451,4	444,74						
114	467,5	460,90						
120	491,8	485,16						
125	512,0	505,37						





DISCOS ASA PARA CADENAS - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS ASA FOR ROLLER CHAINS

ASA 50

15,875 x 9,53 mm
Rodillo 10,16 mm
10A - 1



B1	B2	B3	b1	C	r3
8,7				2	17

Z	de	dp	simple D1	simple Kg.	doble D2	doble Kg.	triple D3	triple Kg.
8	48,4	41,48	10	0,06				
9	53,3	46,42	10	0,09				
10	58,3	51,37	10	0,11				
11	63,2	56,34	10	0,14				
12	68,2	61,34	10	0,17				
13	73,2	66,32	10	0,20				
14	78,2	71,34	12	0,23				
15	83,2	76,36	12	0,27				
16	88,3	81,37	12	0,31				
17	93,3	86,39	12	0,36				
18	98,3	91,42	12	0,41				
19	103,3	96,45	12	0,46				
20	108,4	101,49	12	0,51				
21	113,4	106,52	12	0,57				
22	118,4	111,55	12	0,62				
23	123,5	116,58	12	0,68				
24	128,5	121,62	12	0,75				
25	133,6	126,66	12	0,82				
26	138,6	131,70	16	0,88				
27	143,6	136,75	16	0,95				
28	148,7	141,78	16	1,03				
29	153,7	146,83	16	1,11				
30	158,8	151,87	16	1,19				
31	163,8	156,92	16	1,28				
32	168,9	161,95	16	1,36				
33	173,9	167,00	16	1,45				
34	178,9	172,05	16	1,55				
35	184,0	177,10	16	1,64				
36	189,0	182,15	20	1,73				
37	194,1	187,20	20	1,83				
38	199,1	192,24	20	1,94				
39	204,2	197,29	20	2,05				
40	209,2	202,34	20	2,16				
41	215,8	207,39	20	2,28				
42	220,8	212,44	20	2,39				
43	225,9	217,49	20	2,50				
44	230,9	222,53	20	2,63				
45	236,0	227,58	20	2,75				
46	241,0	232,63	20	2,88				
47	246,1	237,68	20	3,00				
48	251,1	242,73	20	3,14				
49	256,2	247,78	20	3,28				
50	261,2	252,82	20	3,42				

Z	de	dp	simple D1	simple Kg.	doble D2	doble Kg.	triple D3	triple Kg.
51	266,3	257,87	20	3,56				
52	271,3	262,92	20	3,70				
53	276,4	267,97	20	3,85				
54	281,4	273,03	20	4,00				
55	286,5	278,08	20	4,15				
56	291,5	283,13	25	4,30				
57	296,6	288,18	25	4,46				
58	301,6	293,23	25	4,62				
59	306,7	298,27						
60	311,7	303,32	25	4,95				
62	321,8	313,43	25	5,30				
64	331,9	323,53	25	5,65				
65	337,0	328,58	25	5,83				
68	352,1	343,74	25	6,40				
70	362,2	353,84	25	6,79				
72	372,3	363,95	25	7,19				
75	387,5	379,09	25	7,81				
76	392,5	384,16	25	8,02				
78	402,6	394,25	25	8,46				
80	412,7	404,35	25	8,91				
85	438,0	429,62	30	10,06				
90	463,3	454,88	30	11,30				
95	488,5	480,14	30	12,61				
100	513,8	505,40	30	13,99				
110	564,3	555,92	30	16,97				
114	584,5	576,13	30	19,98				
120	614,8	606,44	30	22,17				
125	640,1	631,71	30	24,08				





DISCOS ASA PARA CADENAS - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS ASA FOR ROLLER CHAINS

ASA 60

19,05 x 12,7 mm
Rodillo 11,91 mm
12A - 1



B1	B2	B3	b1	C	r3
11,6				2,4	20

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	58,1	49,78						
9	64,0	55,70						
10	70,0	61,64						
11	76,0	67,61						
12	81,9	73,60						
13	87,9	79,59	14	0,35				
14	94,0	85,61	14	0,41				
15	100,0	91,63	14	0,48				
16	106,0	97,65	14	0,55				
17	112,0	103,67	14	0,63				
18	118,0	109,71	14	0,71				
19	124,1	115,75						
20	130,1	121,78	14	0,92				
21	136,2	127,82	16	0,99				
22	142,2	133,86	16	1,09				
23	148,2	139,90	16	1,20				
24	154,3	145,94						
25	160,3	152,00	16	1,43				
26	166,4	158,04	16	1,56				
27	172,4	164,09	16	1,68				
28	178,5	170,13	16	1,82				
29	184,5	176,19	16	1,96				
30	190,6	182,25	16	2,10				
31	196,6	188,31	20	2,24				
32	202,7	194,35	20	2,39				
33	208,8	200,40						
34	214,8	206,46	20	2,71				
35	220,9	212,52	20	2,88				
36	226,9	218,58	20	3,06				
37	233,0	224,64						
38	239,0	230,69	20	3,42				
39	245,1	236,75						
40	251,1	242,81	20	3,85				
41	259,1	248,87						
42	265,2	254,93	25	4,19				
43	271,2	260,98						
44	277,3	267,03						
45	283,3	273,10						
46	289,4	279,16						
47	295,5	285,21						
48	301,5	291,27						
49	307,6	297,33						
50	313,6	303,39						

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
51	319,7	309,45						
52	325,8	315,50						
53	331,8	321,56						
54	337,9	327,64						
55	343,9	333,70						
56	350,0	339,75						
57	356,1	345,81						
58	362,1	351,87						
59	368,2	357,93						
60	374,2	363,99						
62	386,4	376,12						
64	398,5	388,24						
65	404,5	394,29						
66	410,6	400,35						
68	422,7	412,49						
70	434,9	424,60						
72	447,0	436,74						
75	465,2	454,91						
76	471,2	460,99						
78	483,3	473,10						
80	495,5	485,22						
85	525,8	515,55						
90	556,1	545,86						
95	586,4	576,17						
100	616,7	606,47						
110	677,4	667,11						
114	701,6	691,36						
120	738,0	727,74						
125	768,3	758,05						





DISCOS ASA PARA CADENAS - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS ASA FOR ROLLER CHAINS

ASA 80

25,4 x 15,88 mm
Rodillo 15,88 mm
16A - 1



B1	B2	B3	b1	C	r3
14,6				3,2	27

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	77,9	66,37						
9	85,8	74,27						
10	93,8	82,19						
11	101,7	90,14						
12	109,7	98,14	16	0,77				
13	117,7	106,12						
14	125,7	114,15	16	1,01				
15	133,7	122,17						
16	141,8	130,20	20	1,43				
17	149,8	138,22	20	1,64				
18	157,8	146,28	20	1,85				
19	165,9	154,33	20	2,08				
20	173,9	162,38	20	2,12				
21	182,0	170,43	20	2,45				
22	190,1	178,48	20	2,84				
23	198,1	186,53	20	3,13				
24	206,2	194,59	20	3,42				
25	214,2	202,66						
26	222,3	210,72	20	4,05				
27	230,4	218,79						
28	238,4	226,85	20	4,73				
29	246,5	234,92	20	5,09				
30	254,6	243,00	20	5,46				
31	262,6	251,08						
32	270,7	259,13						
33	278,8	267,21	25	6,63				
34	286,9	275,28	25	7,06				
35	294,9	283,36	25	7,49				
36	303,0	291,44						
37	311,1	299,51						
38	319,2	307,59	25	8,88				
39	327,2	315,67						
40	335,3	323,73						
41	345,6	331,82						
42	353,7	339,90						
43	361,7	347,98						
44	369,8	356,06						
45	377,9	364,12						
46	386,0	372,21						
47	394,1	380,29						
48	402,1	388,36						
49	410,2	396,44						
50	418,3	404,52						

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
51	426,5	412,60						
52	434,5	420,67						
53	442,5	428,75						
54	450,6	436,85						
55	458,7	444,93						
56	466,8	453,01						
57	474,9	461,07						
58	482,9	469,16						
59	491,0	477,24						
60	499,1	485,32						
62	515,3	501,50						
64	531,4	517,65						
65	539,5	525,73						
66	547,6	533,80						
68	563,8	549,98						
70	579,9	566,14						
72	596,1	582,32						
75	620,3	606,35						
76	628,4	614,65						
78	644,6	630,80						
80	660,7	646,96						
85	701,2	687,40						
90	741,6	727,81						
95	782,0	768,22						
100	822,4	808,63						
110	903,3	889,48						
114	935,6	921,81						
120	984,1	970,33						
125	1024,5	1010,73						





DISCOS ASA PARA CADENAS - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS ASA FOR ROLLER CHAINS

ASA 100

31,75 x 19,05 mm
Rodillo 19,05 mm
20A - 1



B1	B2	B3	b1	C	r3
17,6				4	33,5

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	96,0	82,96						
9	106,5	92,84						
10	117,0	102,74						
11	127,0	112,68						
12	137,0	122,68						
13	147,5	132,65						
14	157,6	142,68						
15	167,7	152,72						
16	177,7	162,75						
17	187,7	172,78	20	2,96				
18	197,8	182,85	20	3,28				
19	207,9	192,91						
20	217,9	202,98						
21	228,0	213,04	25	4,62				
22	238,1	223,11						
23	248,2	233,17						
24	258,3	243,23						
25	268,4	253,33						
26	278,4	263,40						
27	288,5	273,48						
28	298,5	283,56						
29	308,6	293,65						
30	318,7	303,75						
31	328,8	313,85						
32	338,9	323,91						
33	349,0	334,01						
34	359,1	344,10						
35	369,2	354,20						
36	379,2	364,30						
37	389,3	374,39						
38	399,4	384,49						
39	409,5	394,59						
40	419,6	404,66						
41	430,7	414,78						
42	440,8	424,88						
43	450,9	434,97						
44	461,0	445,07						
45	471,1	455,17						
46	481,2	465,26						
47	491,3	475,36						
48	501,4	485,46						
49	511,5	495,55						
50	521,6	505,65						

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
51	531,7	515,75						
52	541,8	525,84						
53	551,9	535,94						
54	562,0	546,07						
55	572,1	556,16						
56	582,2	566,26						
57	592,3	576,36						
58	602,4	586,45						
59	612,5	596,55						
60	622,6	606,65						
62	642,8	626,87						
64	663,0	647,06						
65	673,1	657,16						
66	683,2	667,26						
68	703,4	687,48						
70	723,6	707,67						
72	743,8	727,90						
75	774,2	758,19						
76	784,3	768,32						
80	824,7	808,72						
85	875,2	859,25						
90	925,7	909,76						
95	976,2	960,28						
100	1026,7	1010,79						
114	1168,2	1152,26						





DISCOS ASA PARA CADENAS - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS ASA FOR ROLLER CHAINS

ASA 120

38,1 x 25,4 mm
Rodillo 22,23 mm
24A - 1



B1	B2	B3	b1	C	r3
23,5				4,8	40,5

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	113,0	99,55						
9	125,0	111,40	20	1,47				
10	137,0	123,29	20	1,85				
11	149,0	135,21	25	2,24				
12	161,0	147,22						
13	173,0	159,18	25	3,22				
14	185,0	171,22	25	3,68				
15	197,0	183,26	25	4,34				
16	209,0	195,30	25	4,88				
17	221,0	207,34	25	5,69				
18	233,0	219,42	25	6,29				
19	245,5	231,49						
20	257,5	243,57	25	7,95				
21	270,5	255,65						
22	282,5	267,73						
23	294,5	279,80						
24	307,0	291,88						
25	319,0	304,00	30	12,25				
26	331,0	316,08						
27	343,0	328,19						
28	355,0	340,27						
29	367,5	352,38						
30	379,5	364,50						
31	391,5	376,62						
32	403,5	388,69						
33	415,5	400,81						
34	428,5	412,93						
35	440,0	425,04	30	24,65				
36	452,0	437,16						
37	464,0	449,27						
38	476,5	461,39						
39	488,5	473,50						
40	501,5	485,62						
41	513,5	497,74						
42	525,5	509,85						
43	538,0	521,97						
44	550,0	534,08						
45	562,0	546,20						
46	574,0	558,32						
47	586,5	570,43						
48	598,5	582,55						
49	610,5	594,66						
50	622,5	606,78						

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
51	635,0	618,89						
52	647,0	631,01						
53	659,0	643,13						
54	671,0	655,25						
55	683,5	667,40						
56	695,5	679,50						
57	707,5	691,63						
58	719,5	703,74						
59	731,5	715,86						
60	745,0	727,97						
62	769,0	752,24						
64	793,5	776,48						
65	805,5	788,59						
66	817,5	800,71						
68	842,0	824,98						
70	866,0	849,21						
72	890,5	873,48						
75	926,5	909,83						
76	939,0	921,98						
80	987,5	970,44						
85	1048,0	1031,10						
90	1108,0	1091,71						

