



Wear strips and guides for plastic modular belts, chains and goods





Code structure


Pos. 1-2		Pos. 3 - 4 - 5			Pos. 6	Pos. 7 - 8 - 9 - 10				Pos. 11	Pos. 12	Pos. 13 - 14 - 15			Pos. 16	Pos. 17 - 18	
L	K	-	2	5	-	P	E	4	0	W	-	0	0	3	+	F	G
Product series (profile design)		Profile identification number				Material				Color		Dimension (meters)			Special features		
		V = AISI 304 assembled metal housing W = AISI 430 assembled metal housing		The number normally identifies the main profile dimensions		PE03-PE05--PE10 PE40-PE80-TP40 PA6E-PA6 -PA66 POMC PP00 PTFE PVC0 PETC GALV-A304-A430 ALUM				B = black W = natural white G = green C = cobalt blue D = Gray Y = yellow R = red A = orange N = brown					FG =food grade EC =conductive FE =food grade + conductive RC =recycled RK =recycled confetti structure LF =low friction MO =MoS2 AR =antistatic recycled G1 =Glass fiber reinforced 10% G2 =Glass fiber reinforced 5% (US 13%) G3 =Glass fiber reinforced 20% G4 =Glass fiber reinforced 25% G5 =Glass fiber reinforced 30% (US 33%)		

*: see Product Data Sheets for available materials, colors, dimensions and features.

MB profile





Application example




Habasit code	s	Material	Color	Packaging unit	Total length	Food grade
	mm				m	
MB-22-PE40W-003+FG	2	PE40	white	bar	3	•
MB-22-PE40W-006+FG	2	PE40	white	bar	6	•
MB-22-TP40C-003+FG	2	TP40	c-blue	bar	3	•
MB-27-PE40W-003+FG	2,5	PE40	white	bar	3	•
MB-27-PE40W-006+FG	2,5	PE40	white	bar	6	•
MB-27-TP40C-003+FG	2,5	TP40	c-blue	bar	3	•
MB-32-PE40W-003+FG	3	PE40	white	bar	3	•
MB-32-PE40W-006+FG	3	PE40	white	bar	6	•
MB-32-TP40C-003+FG	3	TP40	c-blue	bar	3	•
MB-47-PE40W-003+FG	4,5	PE40	white	bar	3	•
MB-47-PE40W-006+FG	4,5	PE40	white	bar	6	•
MB-47-TP40C-003+FG	4,5	TP40	c-blue	bar	3	•
MB-52-PE40W-003+FG	5	PE40	white	bar	3	•
MB-52-PE40W-006+FG	5	PE40	white	bar	6	•
MB-52-TP40C-003+FG	5	TP40	c-blue	bar	3	•

MT profile



Application example



Habasit code	s	Material	Color	Packaging unit	Total length	Food grade
	mm				m	
MT-22-PE40W-003+FG	2	PE40	white	bar	3	•
MT-22-PE40W-006+FG	2	PE40	white	bar	6	•
MT-22-TP40C-003+FG	2	TP40	c-blue	bar	3	•
MT-27-PE40W-003+FG	2,5	PE40	white	bar	3	•





Wear strips and guides for plastic modular belts, chains and goods


MT profile

Habasit code	s	Material	Color	Packaging unit	Total length	Food grade
	mm				m	
MT-27-PE40W-006+FG	2,5	PE40	white 	bar	6	•
MT-27-TP40C-003+FG	2,5	TP40	c-blue 	bar	3	•
MT-27-TP40C-006+FG	2,5	TP40	c-blue 	bar	6	•
MT-32-PE40W-003+FG	3	PE40	white 	bar	3	•
MT-32-PE40W-006+FG	3	PE40	white 	bar	6	•
MT-32-TP40C-003+FG	3	TP40	c-blue 	bar	3	•
MT-45-PE40W-003+FG	4,5	PE40	white 	bar	3	•
MT-45-PE40W-006+FG	4,5	PE40	white 	bar	6	•
MT-45-TP40C-003+FG	4,5	TP40	c-blue 	bar	3	•

MP profile




Application example




Habasit code	s	Material	Color	Packaging unit	Total length	Food grade
	mm				m	
MP-22-PE40W-003+FG	2	PE40	white 	bar	3	•
MP-22-PE40W-006+FG	2	PE40	white 	bar	6	•
MP-22-TP40C-003+FG	2	TP40	c-blue 	bar	3	•
MP-27-PE40W-003+FG	2,5	PE40	white 	bar	3	•
MP-27-PE40W-006+FG	2,5	PE40	white 	bar	6	•
MP-27-TP40C-003+FG	2,5	TP40	c-blue 	bar	3	•
MP-32-PE40W-003+FG	3	PE40	white 	bar	3	•
MP-32-PE40W-006+FG	3	PE40	white 	bar	6	•
MP-32-TP40C-003+FG	3	TP40	c-blue 	bar	3	•
MP-47-PE40W-003+FG	4,5	PE40	white 	bar	3	•
MP-47-PE40W-006+FG	4,5	PE40	white 	bar	6	•
MP-47-TP40C-003+FG	4,5	TP40	c-blue 	bar	3	•
MP-52-PE40W-003+FG	5	PE40	white 	bar	3	•
MP-52-PE40W-006+FG	5	PE40	white 	bar	6	•
MP-52-TP40C-003+FG	5	TP40	c-blue 	bar	3	•

MU profile





Application example




Habasit code	s	Material	Color	Packaging unit	Total length	Food grade
	mm				m	
MU-32-PE40W-003+FG	3	PE40	white	bar	3	•
MU-47-PE40W-003+FG	4,5	PE40	white	bar	3	•

GB profile



Application example





Habasit code	s	Material	Color	Packaging unit	Total length	Food grade
	mm				m	
GB-22-PE40W-050+FG	2	PE40	white	coil	50	•
GB-22-TP40C-050+FG	2	TP40	c-blue	coil	50	•
GB-32-PE40W-050+FG	3	PE40	white	coil	50	•
GB-32-TP40C-050+FG	3	TP40	c-blue	coil	50	•
GB-42-PE40W-050+FG	4	PE40	white	coil	50	•
GB-42-TP40C-050+FG	4	TP40	c-blue	coil	50	•


Wear strips and guides for plastic modular belts, chains and goods

19

GA-40 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length m	Food grade
GA-40-PE40W-050+FG	PE40	white	coil	50	•
GA-40-TP40C-050+FG	TP40	c-blue	coil	50	•

GA-50 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length m	Food grade
GA-50-PE40W-050+FG	PE40	white	coil	50	•
GA-50-TP40C-050+FG	TP40	c-blue	coil	50	•

GA-60 profile



Application example



Habasit code	Material	Color	Packaging unit	Total length m	Food grade
GA-60-PE40W-050+FG	PE40	white	coil	50	•
GA-60-TP40C-050+FG	TP40	c-blue	coil	50	•


Extruded Machined

Black (non Food Grade) Natural white Green Cobalt blue


Wear strips and guides for plastic modular belts, chains and goods

20


GA100 profile



E



Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
GA100-PE40W-030+FG	PE40	white 	coil	30	•
GA100-TP40C-030+FG	TP40	c-blue 	coil	30	•


LK-20 profile



E



Application example





Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
LK-20-PE10B-040+RC	PE10	black 	coil	40	
LK-20-PE40W-040+FG	PE40	white 	coil	40	•
LK-20-PE40G-040+FG	PE40	green 	coil	40	•
LK-20-TP40C-040+FG	TP40	c-blue 	coil	40	•


Wear strips and guides for plastic modular belts, chains and goods

21

LK-25 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
LK-25-PE10B-040+RC	PE10	black	coil	40	
LK-25-PE40W-040+FG	PE40	white	coil	40	•
LK-25-PE40G-040+FG	PE40	green	coil	40	•
LK-25-TP40C-040+FG	TP40	c-blue	coil	40	•

LK-40 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
LK-40-PE10B-050+RC	PE10	black	coil	50	
LK-40-PE40W-050+FG	PE40	white	coil	50	•
LK-40-PE40G-050+FG	PE40	green	coil	50	•
LK-40-TP40C-050+FG	TP40	c-blue	coil	50	•

ZK profile





Application example




Habasit code	B	h1	b1	s	Material	Color	Packaging unit	Total length	Food grade
	mm	mm	mm	mm				m	
ZK-21-PE10B-040+RC	21	2	1,7	2~3	PE10	black	coil	40	
ZK-21-PE40W-040+FG	21	2	1,7	2~3	PE40	white	coil	40	•
ZK-21-PE40G-040+FG	21	2	1,7	2~3	PE40	green	coil	40	•
ZK-21-TP40C-040+FG	21	2	1,7	2~3	TP40	c-blue	coil	40	•
ZK-27-PE40W-040+FG	22,2	7,7	3,2	2~3	PE40	white	coil	40	•
ZK-27-TP40C-040+FG	22,2	7,7	3,2	2~3	TP40	c-blue	coil	40	•
ZK-29-PE40W-040+FG	22,2	9,7	3,2	2~3	PE40	white	coil	40	•
ZK-29-TP40C-040+FG	22,2	9,7	3,2	2~3	TP40	c-blue	coil	40	•
ZK-53-PE40W-040+FG	25,4	3,2	3,2	2~3	PE40	white	coil	40	•
ZK-53-TP40C-040+FG	25,4	3,2	3,2	2~3	TP40	c-blue	coil	40	•
ZK-55-PE40W-040+FG	25,4	5,0	3,2	2~3	PE40	c-blue	coil	40	•
ZK-55-TP40C-040+FG	25,4	5,0	3,2	2~3	TP40	c-blue	coil	40	•
ZK-57-PE40W-040+FG	25,4	7,7	3,2	2~3	PE40	white	coil	40	•
ZK-57-TP40C-040+FG	25,4	7,7	3,2	2~3	TP40	c-blue	coil	40	•
ZK-59-PE40W-040+FG	25,4	9,7	3,2	2~3	PE40	white	coil	40	•
ZK-59-TP40C-040+FG	25,4	9,7	3,2	2~3	TP40	c-blue	coil	40	•

ZA-20 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
ZA-20-PE10B-050+RC	PE10	black	coil	50	
ZA-20-PE40G-050+FG	PE40	green	coil	50	•

ZA-23 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
ZA-23-PE10B-050+RC	PE10	black	coil	50	
ZA-23-PE40G-050+FG	PE40	green	coil	50	•
ZA-23-TP40C-050+FG	TP40	c-blue	coil	50	•

ZA-25 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
ZA-25-PE10B-050+RC	PE10	black	coil	50	
ZA-25-PE40G-050+FG	PE40	green	coil	50	•
ZA-25-TP40C-050+FG	TP40	c-blue	coil	50	•

LA-20 profile




Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
LA-20-PE10B-050+RC	PE10	black	coil	50	
LA-20-PE40G-050+FG	PE40	green	coil	50	•

LC-14 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
LC-14-PE40W-050+FG	PE40	white	coil	50	•
LC-14-TP40C-050+FG	TP40	c-blue	coil	50	•

LJ-85 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
LJ-85-PE05W-003+FG	PE05	white	bar	3	•
LJ-85-PE10B-003+RC	PE10	black	bar	3	

UD-70 profile




Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
UD-70-PE05W-003+FG	PE05	white	bar	3	•
UD-70-PE10B-003+RC	PE10	black	bar	3	

Wear strips and guides for plastic modular belts, chains and goods

UA-41 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
UA-41-PE10B-050+RC	PE10	black	coil	50	
UA-41-PE10B-003+RC	PE10	black	bar	3	
UA-41-PE10B-006+RC	PE10	black	bar	6	
UA-41-PE40G-050+FG	PE40	green	coil	50	•
UA-41-PE40G-003+FG	PE40	green	bar	3	•
UA-41-PE40G-006+FG	PE40	green	bar	6	•
UA-41-TP40C-050+FG	TP40	c-blue	coil	50	•
UA-41-TP40C-003+FG	TP40	c-blue	bar	3	•
UA-41-TP40C-006+FG	TP40	c-blue	bar	6	•

UB-41 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
UB-41-PE10B-050+RC	PE10	black	coil	50	
UB-41-PE10B-006+RC	PE10	black	bar	6	
UB-41-PE40G-050+FG	PE40	green	coil	50	•

US-40 profile





Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
US-40-PE10B-003+RC	PE10	black	bar	3	
US-40-PE10B-006+RC	PE10	black	bar	6	
US-40-PE40W-003+FG	PE40	white	bar	3	•
US-40-PE40W-006+FG	PE40	white	bar	6	•
US-40-PE40G-003+FG	PE40	green	bar	3	•
US-40-PE40G-006+FG	PE40	green	bar	6	•
US-40-TP40C-003+FG	TP40	c-blue	bar	3	•
US-40-TP40C-006+FG	TP40	c-blue	bar	6	•

TA-40 profile






Application example



Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
TA-40-PE40G-050+FG	PE40	green	coil	50	•




Wear strips and guides for plastic modular belts, chains and goods

TU-43 profile




Habasit code	Material	Color	Packaging unit	Total length m	Food grade
TU-43-PE40G-050+FG	PE40	green	coil	50	•

TS-43 profile




Habasit code	Material	Color	Packaging unit	Total length m	Food grade
TS-43-PE40G-003+FG	PE40	green	bar	3	•
TS-43-PE40G-006+FG	PE40	green	bar	6	•


CA-40 profile



E




Application example




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
CA-40-PE10B-003+RC	PE10	black	bar	3	
CA-40-PE10B-006+RC	PE10	green	bar	6	
CA-40-PE40W-003+FG	PE40	white	bar	3	•
CA-40-PE40W-006+FG	PE40	white	bar	6	•
CA-40-PE40G-003+FG	PE40	green	bar	3	•
CA-40-PE40G-006+FG	PE40	green	bar	6	•
CA-40-TP40C-003+FG	TP40	c-blue	bar	3	•
CA-40-TP40C-006+FG	TP40	c-blue	bar	6	•


CA-50 profile



M






Application example



Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
CA-50-PE10B-003+RC	PE10	black	bar	3	
CA-50-PE10G-003+RC	PE10	green	bar	3	
CA-50-PE05W-003+FG	PE05	white	bar	3	•




Wear strips and guides for plastic modular belts, chains and goods

CA-60 profile





Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
CA-60-PE10B-003+RC	PE10	black	bar	3	
CA-60-PE10G-003+RC	PE10	green	bar	3	
CA-60-PE05W-003+FG	PE05	white	bar	3	•

CA-81 profile






Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
CA-81-PE10B-003+RC	PE10	black	bar	3	
CA-81-PE10G-003+RC	PE10	green	bar	3	
CA-81-PE05W-003+FG	PE05	white	bar	3	•

DG-78 profile





Habasit code	Material	Color	Packaging unit	Total length
				m
DG-78 PE03B-003	PE03	black	bar	3

RA-18 profile




Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
RA-18-PE40W-003+FG	PE40	white	bar	3	•
RA-18-PE40W-006+FG	PE40	white	bar	6	•
RA-18-PE40G-003+FG	PE40	green	bar	3	•
RA-18-PE40G-006+FG	PE40	green	bar	6	•

RR-17 profile





Application example




Habasit code	Material	Color	Assembled metal housing	Packaging unit	Total length	Food grade
					m	
RRV17-PE40W-003+FG	PE40	white ☐	AISI 304	bar	3	•
RRV17-PE40W-006+FG	PE40	white ☐	AISI 304	bar	6	•
RRW17-PE40W-003+FG	PE40	white ☐	AISI 430	bar	3	•

RS-17 profile





Application example




Habasit code	Material	Color	Assembled metal housing	Packaging unit	Total length	Food grade
					m	
RSV17-PE40W-003+FG	PE40	white ☐	AISI 304	bar	3	•

RF-17 profile





Application example




Habasit code	Material	Color	Assembled metal housing	Packaging unit	Total length	Food grade
					m	
RFV17-PE40W-003+FG	PE40	white ☐	AISI 304	bar	3	•

RI-17 profile





Application example




Habasit code	Material	Color	Assembled metal housing	Packaging unit	Total length	Food grade
					m	
RIV17-PE40W-003+FG	PE40	white	AISI 304	bar	3	•

RT-32 profile





Application example




Habasit code	Material	Color	Assembled metal housing	Packaging unit	Total length	Food grade
					m	
RTV32-PE40W-003+FG	PE40	white	AISI 304	bar	3	•
RTV32-PE40W-006+FG	PE40	white	AISI 304	bar	6	•
RTW32-PE40W-003+FG	PE40	white	AISI 430	bar	3	•
RTW32-PE40W-003+RC	PE40	white	AISI 430	bar	6	•

RL-32 profile





Application example




Habasit code	Material	Color	Assembled metal housing	Packaging unit	Total length	Food grade
					m	
RLV32-PE40W-003+FG	PE40	white	AISI 304	bar	3	•
RLW32-PE40W-003+FG	PE40	white	AISI 430	bar	3	•

Wear strips and guides for plastic modular belts, chains and goods

PC profile




Application example




Habasit code	B	H	BC	HC	h	Material	suitable metal profile (not included)	Color	Packaging unit	Total length
	mm	mm	mm	mm	mm					m
PC-21-PE10G-003+RC	20	10	20	14	4	PE10	CM-03	green	bar	3
PC-23-PE10G-003+RC	20	15	20	17	7	PE10	CM-03	green	bar	3
PC-25-PE10G-003+RC	20	20	20	22	12	PE10	CM-03	green	bar	3
PC-31-PE10G-003+RC	28	10	28	15	3	PE10	CM-05	green	bar	3
PC-33-PE10G-003+RC	28	15	28	18	6	PE10	CM-05	green	bar	3
PC-35-PE10G-003+RC	28	20	28	24	12	PE10	CM-05	green	bar	3
PC-41-PE10G-003+RC	38	10	38	21	3	PE10	CM-09	green	bar	3
PC-43-PE10G-003+RC	38	15	38	24	6	PE10	CM-09	green	bar	3
PC-45-PE10G-003+RC	38	20	38	30	12	PE10	CM-09	green	bar	3

PA-21 profile






Application example





Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
PA-21-PE10B-050+RC	PE10	black	coil	50	
PA-21-PE40W-050+FG	PE40	white	coil	50	•

UC-31 profile





Habasit code	Material	Color	Packaging unit	Total length	Food grade
				m	
UC-31-PE40W-003+FG	PE40	white	bar	3	•

PS-50 profile






Habasit code	Material	Metal profile (not included)	Color	Packaging unit	Total length	Food grade
					m	
PS-50-PE40W-003+FG	PE40	CM-09	white	bar	3	•

A Tapes



Habasit code	Material	B	s	Color	Packaging unit	Total length
		mm	mm			m
A2280-PE03G-050	PE03	280.0	2.0	green	coil	50
A3260-PE03G-050	PE03	260.0	3.0	green	coil	50
A4240-PE03G-050	PE03	240.0	4.0	green	coil	50
A5220-PE03G-025	PE03	220.0	5.0	green	coil	25

WS wearstrips



Habasit code	Decription	Material	color	N° per box
WS-01-PE03W	Wear strip 01	PE03	white	100
WSK01-PE03W	Wear strip Kit 01	PE03	white	100
WSS01-PA6EW	Screw M6x30	PA6	white	100
WSN01-POMCW	Nut M6	POM	white	100